

System MINI



MINI MOBIL

You want to get all advantages of a Swimming pool Enclosure but you don't want to block your wonderful outside view?

Well, than our Mini-Mobil is exactly what you are looking for.

- min/max height: 0,6 meter to 1,10 meter min/max width 3,00 to 6,50 meter, length: variable
- Available with up to four displaceable / retractable individual elements nearly to any wanted position
- Because of the low height no blocking of your garden view
- Side entry vary end walls and extension of the rails to suit any pool size..
- PC Clear glass for single elements only, or the total Enclosure.
- Both end walls are designed as solid units. The front end wall will delivered with a detachable and stow able unit together with a lockable door. The rear end will always move together with the enclosure and has no door.
- Including the VAS System, a patented "Step Seal System" to prevent abrasive friction.
- Aluminium profiles and frames will delivered with an anodized surface in silver colour
- Additional features (on request):
- All aluminium parts of Mini Mobile are also available in any
- other RAL colour
- CAMOTEC the new digital drive unit for your enclosure operates with remote control, including rechargeable batteries, charged automatically with photovoltaic modules.



System MOBIL



MOBIL (with side entry and PC Glass)

The classic model of Swimming Pool Enclosures! Even in the basic version, the Mobil provides the perfect standard and full space to swim if the enclosures are closed.

- min/max height: 0,9 meter to 2,00 meter min/max width 3,00 to 8,25 meter length: variable
- Lockable doors on both end walls
- Proven technology: the enclosure elements are easy to move, because of our special rollers (Polyamide material with stainless steel ball bearings).
- Using the Pool as an open pool or partly or full closed enclosure Pool.
- Patented end-wall System stable Aluminium frames with webbed PC panels or PC Clear Glass panels.
- Both end-walls with lockable door, easy to remove (no need for an extra devise) and stow away.
- No floor attachments along the front and rear end walls because of the special developed endwall. A really safety and free Pool entrance.
- Aluminium profiles and frames will delivered with an anodized surface in silver colour
- Additional features (on request):
- All aluminium parts of MOBILE are also available in any
- other RAL colour
- CAMOTEC the new digital drive unit for your enclosure operates with remote control, including rechargeable batteries, charged automatically with photovoltaic modules.



System GRANDE



GRANDE MOBILE (with integrated end-wall)

For those which have a large outdoor swimming pool but want to have the benefits and advantages of an indoor pool as well our GRANDE product line is a very reasonable solution.

- min/max height: 2,00 meter to 2,70 meter min/max width 4,00 to 8,50 meter length: variable
- The enclosure elements are able to move nearly to any position
- Proven technology: the enclosure elements are easy to move, because of our special rollers (Polyamide material with stainless steel ball bearings).
- No floor attachments along the front and rear end walls. A really safety and free Pool entrance
- All sections as well as the doors can be detached easy completely or just partially without screws and stowed away (no need for any extra device).
- Special designed webbed PC panels and Aluminium profile frames for GRANDE are used for a maximum of end-wall stability even in very stormy weather situations.
- Including the VAS System, a patented "Step Seal System" to prevent abrasive friction and invade of dirt as well. Special soft rubber lips will protect the PC panels for scratches for a long lifetime.
- Aluminium profiles and frames will delivered in with anodized surface in silver colour.
- Additional features (on request):
- All aluminium parts of GRANDE are also available in any other RAL colour
- CAMOTEC the new digital drive unit for your enclosure
 - with rechargeable batteries, charged automatically with photovoltaic modules and operate with remote control
 - 0



System ATLANTIS



ATLANTIS (the first mobile Swimming pool enclosure and multifunctional hall)

For those, which enjoy a little bit extravagance and luxury. With its large size, luxurious design and unlimited length ATLANTIS will open a new world of possibilities to use. Beside the swimming pool other leisure facilities can be integrated, i.e. a romantic Cocktail Bar, wellness equipments, like fitness areas and so far.

No limits to your ideas at all.


- min/max height: 2 meter to 2,70 meter min/max width 4 meter to 8,50 meter length: variable
- Aluminium profiles and frames will delivered in very attractive and decorative RAL 9010 colour with pure white powder coating (Standard). Other RAL colours are possible upon request.
- Special developed enclosure profiles allow a width up to 15 meter.
- Lockable doors on both end-walls.
- More luxurious accessories are available upon request, i.e.:
- PANORAMA End- Wall System featuring the best technology
 - for unlocking, opening, folding and locking the end-wall doors up to a max. height of 1,90 meter! Able to displace completely to the rear together the enclosure elements.
 - o surface finished CAMPANA PC Clear glass panels for an elegance view
 - (up to a height of 2 meters with 4 mm thick panels on both sides, exhibiting an abrasion resistance similar to real glass) and a long life time as well.
- CAMOTEC the new digital drive unit for your enclosure
 - with rechargeable batteries, charged automatically with photovoltaic modules and operate with remote control.

• All other features from our Model GRANDE are also included with ATLANTIS.

⁰



NEW MODELS



PERLA-MOBIL

- · a high-rising side wall affords complete freedom of movement,
- thus accessible from three sides,
- · a lot of comfortable seating space in the protected inside area,
- · front walls at both ends made of polycarbonate completely removable without any screwing involved,
- standard widths between 4.00 m and 6.25 m in 25-cm grid increments,
- longitudinal dimensions to be calculated in cm,
- 4-sectional design available on request without surcharge from a length of 9.00 m on-wards,
- for the width of the ground rails, the dimensions, the shipment & assembly as well as all other special requests please refer to the GRANDE-MOBIL section










Cover for SPA

ARENA-MOBIL



What does the new

round swimming pool hold for you?

The new round swimming pool affords completely new and individual views. Two equally large dome-shaped enclosure halves will make it possible.

Both enclosure halves can be moved 360° either on top or underneath each other and are variable, depending on the direction of the wind, the weather and the views, but also depending on the position of the sun.

This super feature of the 360°-variability to re-position the pool enclosure is an absolute novelty which offers a wide range of settings to the pool owner and an unheard-of number of variations. It would also be possible to manufacture one of the halves from, say, polycarbonate milk glass and turn it in such a way that you will be protected from the undesired views of neighbors and other intruders, so that you can fully enjoy your bathing paradise and will not be disturbed.

Further advantages: The stainless steel ladder, matching the size of the enclosure, can be placed inside and will allow you to enter and leave the pool easily (asymmetric design). On the other hand, the fact that the hall can be

locked will prevent little children, non-swimmers and unwanted visitors from getting access to the pool (accident safety + performance of the owner's duty to maintain safety and to care towards third parties). Besides, there might well be space left to also accommodate the filter system inside the protected enclosure!

Material: The dome-shaped structure of the round enclosure has been made of stable, anodized alumi-num profiles. The roofing is made **of 8 mm co-extruded polycarbonate double-web panels**. Sections thereof can also be equipped with 4 mm thick "long life



quality" poly-

carbonate clear glass on request. The surface of our clear glass has been treated four times, so that it has almost the same abrasion resistance as glass and extremely high impact strength. The two halves are sealed with thermoplastic lip seals and equipped with large, maintenance-free polyamide rollers and two stainless steel bearings each for smooth sliding operations.

Establishing the width of the enclosure: All dimensions of the enclosure are external ones. The ground rails have a width of 12 cm only and will be installed on the foundations to be provided by the customer. Please get in touch with

for establishing the required dimensions for the enclosure, when the edge of the swimming pool is above the level of the ground rails. The clearance inside the enclosure is 1.20 m at a distance of approx. 35 cm from the enclosure's external edge!

